DECLARATION OF CONFORMITY

FUSION CF Series SCR Power Controller

Control Concepts, Inc. 18760 Lake Drive East Chanhassen, MN 55317 USA



Declares that the following product:

Designation: **FUSION CF Series Power Controller**

Model Numbers: Model CF followed by ZC, PA, followed by 1, 2 or 3, followed by 1 through 9 or A through E

followed by number or letter, may be followed by numbers and/or letters, may be followed

by numbers and/or letters, may be followed by numbers and/or letters.

Classification: Solid State Power Controller, Class I, Pollution Degree II

Rated Voltage: 24 - 600 Vac Rated Frequency: 45 - 65 Hz

Meets the essential requirements of the following European Union Directive(s) using the relevant section(s) of the

normalized standards and related documents shown:

EN 60947-4-3: 2000 Low-voltage switchgear and controlgear

EMC Directive 2004/108/EC

-EN 61000-6-2: 2005

-EN61000-4-2: 1995 + Amendments A1:1998 + A2: 2001

-EN61000-4-3: 2006

-EN61000-4-4: 2004 + Corrigendum 2004

-EN61000-4-5: 2006

-EN61000-4-6: 2007

-EN61000-4-8: 1993 + Amendment A1: 2001

-EN61000-4-11 Second Edition: 2004

-EN 61000-6-4: 2007

ESD Immunity

Radiated Immunity

EFT / Burst Immunity

Surge Immunity

Conducted Immunity Magnetic Field Immunity

Voltage Dips & Interruptions

Compact FUSION Manual Certifications

Conducted & Radiated Emissions

Note 1: All power terminals must be populated as to keep the controller touch safe to comply with EN 60947-4-3.

Note 2: Controller must be mounted in a shielded enclosure to comply with EMC Directive 2004/108/EC.

Note 3: Controller must have appropriate line and control power filter to comply with EN61000-6-2.

Third party conformance testing conducted by TÜV America.

TÜV SÜD America Inc.

Suite 104

© Control Concepts Inc., 2013

1774 Old Highway 8 NW

New Brighton, MN 55112-1891

Cory Watkins Name of Authorized Representative: Title of Authorized Representative: President

Place of Issue: Chanhassen, Minnesota, USA

Date of Issue:

December 2010

nature of Authorized Representative



External EMI filters must be used in conjunction with the FUSION series power controllers to maintain CE immunity* approval. The following filters were used during the immunity testing.

Universal input power:

Line input power: Schaffner filter Schaffner filter

P/N: FN 2030-3-06 P/N: FN 3270H-35-33


The Schaffner filter for universal input power, or it's equivalent, may be used as listed above. The line input power filter however, will need to be sized accordingly for your load. Please contact Schaffner EMC Inc. for help finding the appropriate filter.

Schaffner EMC Inc.


52 Mayfield Avenue I Edison, New Jersey 08837 / USA T 1-800-367-5566 | T 732-225-9533 | F 732-225-4789 usasales@schaffner.com | http://www.schaffner.com/us

Wire filters as shown below:

1 Phase Controller



3 Phase Controller



Other wire diagrams are available, for models not listed here, by contacting Control Concepts, Inc.

ATTENTION

This product has been designed for class A equipment. Use of this product in domestic environments may cause radio interference, in which case the user may be required to employ additional mitigation methods.

NOTICE

This product has been designed for environment A. Use of this product in environment B may cause unwanted electromagnetic disturbances, in which case the user may be required to take adequate mitigation measures.

^{*}No filtering is required for emissions.